

CHAIN LINK

ASTM A 392 Cl. I

**12 1/2 ga. & 11 1/2 ga.
 50' Rolls - Sold In Full Rolls Only**

Height	Description	20+ Rolls	1-19 Rolls	Selvage	Part #	Weight
4'	12 1/2 ga.	1	1	K-K	0A-00004	63 lbs
5'	12 1/2 ga.	1	1	K-K	0A-00005	77 lbs
6'	12 1/2 ga.			K-K	0A-00006	90 lbs
3'	11 1/2 ga.	1	1	K-K	0A-01036	1.09
3 1/2'	11 1/2 ga.	1	1	K-K	0A-01042	1.27
4'	11 1/2 ga.			K-K	0A-01048	1.5
5'	11 1/2 ga.			K-K	0A-01060	1.84
6'	11 1/2 ga.			K-K	0A-01072	2.2

Height	Description	450'+	1-449'	Selvage	Part #	Weight
2'	11 ga. Galv.	1	1	K-K	0A-02024	
3'	11 ga. Galv.			K-K	0A-02036	1.45
3 1/2'	11 ga. Galv.			K-K	0A-02042	1.69
4'	11 ga. Galv.			K-K	0A-02048	1.93
5'	11 ga. Galv.			K-K	0A-02060	2.41
6'	11 ga. Galv.			K-K / B-K	0A-02072	2.89
7'	11 ga. Galv.			B-K	0A-02184	3.37
8'	11 ga. Galv.			B-K	0A-02196	3.86
10'	11 ga. Galv.		1	K-K	0A-02120	4.82
12'	11 ga. Galv.		1	K-K	0A-02144	5.78
14'	11 ga. Galv.		1	K-K	0A-02168	6.8
10' T/Court	11 ga. Galv.	1	1	K-K	04-02120	5.74
12' T/Court	11 ga. Galv.	1	1	K-K	04-02144	6.89
2'	9 ga. Galv.	1	1	K-K	0A-03024	1.50
3'	9 ga. Galv.			K-K	0A-03036	2.18
3-1/2'	9 ga. Galv.			K-K	0A-03042	2.55
4'	9 ga. Galv.			K-K	0A-03048	2.91
5'	9 ga. Galv.			K-K	0A-03060	3.64
6'	9 ga. Galv.			K-K / B-K / B-B	0A-03172	4.37
7'	9 ga. Galv.			K-K / B-K	0A-03084	5.10
8'	9 ga. Galv.			K-K / B-K	0A-03096	5.82
10'	9 ga. Galv.		1	K-K	0A-03120	7.28
12'	9 ga. Galv.		1	K-K	0A-03144	8.74
14'	9 ga. Galv.		1	K-K	0A-03168	10.20
6'	6 ga. Galv. - 25' Rolls		1	K-K	0A-06072	7.94
7'	6 ga. Galv. - 25' Rolls		1	K-K	0A-06084	9.27
8'	6 ga. Galv. - 25' Rolls		1	K-K	0A-06096	10.74
10'	6 ga. Galv. - 25' Rolls		1	K-K	0A-06120	13.42
12'	6 ga. Galv. - 25' Rolls		1	K-K	0A-06144	14.58

¹Non-stock, Custom, and Less Than 450' Will Include Set-Up Charge

BLACK VINYL COATED CHAIN LINK
ASTM F668-11

Height	Description	450'+	1-449'	Selvage	Part #	Weight
3'	12c / 9f			K-K	01-BK036	1.4
3 1/2'	12c / 9f			K-K	01-BK042	1.6
4'	12c / 9f			K-K	01-BK048	1.9
5'	12c / 9f			K-K	01-BK060	2.2
6'	12c / 9f			K-K	01-BK072	2.6
7'	12c / 9f			K-K	01-BK084	3.0
8'	12c / 9f			K-K	01-BK096	3.5
10'	12c / 9f			K-K	1	4.3
12'	12c / 9f			K-K	1	5.2
14'	12c / 9f	1	1	K-K	1	6.1
10' T/Court	12c / 9f		1	K-K	1	5.8
12' T/Court	12c / 9f		1	K-K	1	7.0
3'	11c / 8f			K-K	08-BK036	1.8
3 1/2'	11c / 8f			K-K	08-BK042	2.0
4'	11c / 8f			K-K	08-BK048	2.4
5'	11c / 8f			K-K	08-BK060	3.0
6'	11c / 8f			K-K	08-BK072	3.5
7'	11c / 8f			K-K	08-BK084	4.1
8'	11c / 8f			K-K	08-BK096	1.7
10'	11c / 8f		1	K-K	08-BK120	5.8
12'	11c / 8f		1	K-K	08-BK144	7.0
14'	11c / 8f		1	K-K	08-BK168	8.3
10' T/Court	11c / 8f		1	K-K	45-70120	6.7
12' T/Court	11c / 8f		1	K-K	45-70144	8.1

Fuse Bonded
ASTM F668 2B

Height	Description	450'+	1-449'	Selvage	Part #	Weight
4'	9c / 8f		1	K-K	58-70048	3.1
5'	9c / 8f		1	K-K	58-70060	3.9
6'	9c / 8f		1	K-K / B-K	58-70072	4.6
7'	9c / 8f		1	K-K / B-K	58-70084	5.4
8'	9c / 8f		1	K-K / B-K	58-70096	6.2
10'	9c / 8f		1	K-K	58-70120	7.7
12'	9c / 8f		1	K-K	58-70144	9.3
14'	9c / 8f		1	K-K	58-70168	10.9

Extruded & Adhered
ASTM F 668-98 Cl. 2A

Height	Description	450'+	1-449'	Selvage	Part #	Weight
6'	9c / 6f		1	K-K / B-K	56-70072	4.9
7'	9c / 6f		1	K-K / B-K	56-70084	5.8
8'	9c / 6f		1	K-K / B-K	56-70096	6.6
10'	9c / 6f		1	K-K / B-K	56-70120	8.2
12'	9c / 6f		1	K-K / B-K	56-70144	9.9
14'	9c / 6f	1	1	K-K / B-K	56-70168	11.8

CHAIN LINK
ASTM A 392 Cl. 2

Height	Description	450+	1-449'	Selvage	Part #	Weight
4'	11ga. Galv. 2 Oz.		1	K-K	0A-02348	1.93
5'	11ga. Galv. 2 Oz.		1	K-K	0A-02360	2.38
6'	11ga. Galv. 2 Oz.		1	B-K / K-K	0A-02372	2.80
7'	11ga. Galv. 2 Oz.		1	B-K / K-K	0A-02384	3.25
8'	11ga. Galv. 2 Oz.		1	B-K / K-K	0A-02396	3.78
10'	11ga. Galv. 2 Oz.		1	K-K	0A-02310	4.72
12'	11ga. Galv. 2 Oz.		1	K-K	0A-02312	5.60
4'	9 ga. Galv. 2 Oz.		1	K-K	0A-03348	3.1
5'	9 ga. Galv. 2 Oz.		1	K-K	0A-03360	3.5
6'	9 ga. Galv. 2 Oz.		1	B-K / K-K	0A-03372	4.3
7'	9 ga. Galv. 2 Oz.		1	B-K / K-K	0A-03384	4.9
8'	9 ga. Galv. 2 Oz.		1	B-K / K-K	0A-03396	5.6
10'	9 ga. Galv. 2 Oz.		1	K-K	0A-03310	7.3
12'	9 ga. Galv. 2 Oz.		1	K-K	0A-03312	8.7


Aluminium Coated (Aluminized)
ASTM A 491-84

Height	Description	450+	1-449'	Selvage	Part #	Weight
4'	11 ga.	1	1	K-K	0A-02A48	1.8
5'	11 ga.	1	1	K-K	0A-02A60	2.3
6'	11 ga.	1	1	B-K / K-K	0A-02A72	2.7
7'	11 ga.	1	1	B-K / K-K	0A-02A84	3.2
8'	11 ga.	1	1	B-K / K-K	0A-02A96	3.6
10'	11 ga.	1	1	K-K	0A-02A10	4.5
12'	11 ga.	1	1	K-K	0A-02A12	5.4
4'	9 ga.	1	1	K-K	0A-03A48	2.7
5'	9 ga.	1	1	K-K	0A-03A60	3.4
6'	9 ga.	1	1	B-K / K-K	0A-03A72	4.1
7'	9 ga.	1	1	B-K / K-K	0A-03A84	4.8
8'	9 ga.	1	1	B-K / K-K	0A-03A96	5.4
10'	9 ga.	1	1	K-K	0A-03A10	6.8
12'	9 ga.	1	1	K-K	0A-03A12	8.1

Aluminum
Mill Finish - 661-T94

Height	Description	450+	1-449'	Selvage	Part #	Weight
4'	9 ga.	1	1	K-K	53-40048	1.0
5'	9 ga.	1	1	K-K	53-40060	1.2
6'	9 ga.	1	1	K-K	53-40072	1.5
7'	9 ga.	1	1	K-K	53-40084	1.7
8'	9 ga.	1	1	K-K	53-40096	1.9
10'	9 ga.	1	1	K-K	53-40120	2.4
12'	9 ga.	1	1	K-K	53-40144	2.9

¹Non-stock, Custom, and Less Than 450' Will Include Set-Up Charge



Privacy Chain Link with Pre-Installed Privacy Slats
3 1/2" x 5 1/2" Mesh - 25' Rolls

Height	Description	Full Roll	Less Roll	Selvage	Part #	Weight
4'	10 ga. Galv.			K - K	02-__048	
5'	10 ga. Galv.			K - K	02-__060	
6'	10 ga. Galv.			K - K	02-__072	
7'	10 ga. Galv.			K - K	02-__084	
8'	10 ga. Galv.			K - K	02-__096	
4'	9 ga. Galv.	1	1	K - K		
5'	9 ga. Galv.	1	1	K - K		
6'	9 ga. Galv.		1	K - K		
7'	9 ga. Galv.		1	K - K		
8'	9 ga. Galv.		1	K - K		
6' ²	11 c / 10 f Fuse Bonded		1	K - K	31-__072	
7' ²	11 c / 10 f Fuse Bonded		1	K - K	31-__084	
8' ²	11 c / 10 f Fuse Bonded		1	K - K	31-__096	

VIEW BLOCKING SLATS (VBS)

Height	Description	Full Roll	Less Roll	Selvage	Part #	Weight
6' ²	10 Ga. Galv. - VBS		1	K - K		
7' ²	10 Ga. Galv. - VBS		1	K - K		
8' ²	10 Ga. Galv. - VBS		1	K - K		
6' ²	9 ga. PVC Black - VBS		1	K - K	3V-__072	
7' ²	9 ga. PVC Black - VBS		1	K - K	3V-__084	
8' ²	9 ga. PVC Black - VBS		1	K - K	3V-__096	

¹Less Than 450' Will Include Set-Up Charge

²Special Order Item - Lead Time Required

Standard Slat Colors:

Green = GR White = WH Beige = BG Black = BK Brown = BN Redwood = RW Silver = SL

SMALL MESH CHAIN LINK
 25' Rolls - Sold In Full Rolls Only

Height	Description	300'+	1 - 299'	Selvage	Part #	Weight
4'	1" / 11 ga. Galv.		1	K - K	12-00048	4.2
5'	1" / 11 ga. Galv.		1	K - K	12-00060	5.2
6'	1" / 11 ga. Galv.		1	K - K	12-00072	6.3
7'	1" / 11 ga. Galv.		1	K - K	12-00084	7.3
8'	1" / 11 ga. Galv.		1	K - K	12-00096	8.2
4'	1" / 9 ga. Galv.		1	K - K	13-00048	6.3
5'	1" / 9 ga. Galv.		1	K - K	13-00060	8.3
6'	1" / 9 ga. Galv.		1	K - K	13-00072	9.3
7'	1" / 9 ga. Galv.		1	K - K	13-00084	10.7
8'	1" / 9 ga. Galv.		1	K - K	13-00096	12.6
4'	1 1/4" / 11 ga. Galv.		1		22-00048	3.2
5'	1 1/4" / 11 ga. Galv.		1		22-00060	4.2
6'	1 1/4" / 11 ga. Galv.		1		22-00072	5.3
7'	1 1/4" / 11 ga. Galv.		1		22-00084	5.6
8'	1 1/4" / 11 ga. Galv.		1		22-00096	7.0
4'	1 1/4" / 9 ga. Galv.		1		23-00048	4.4
5'	1 1/4" / 9 ga. Galv.		1		23-00060	5.5
6'	1 1/4" / 9 ga. Galv.		1		23-00072	8.0
7'	1 1/4" / 9 ga. Galv.		1		23-00084	8.5
8'	1 1/4" / 9 ga. Galv.		1		23-00096	8.9

BLACK VINYL COATED SMALL MESH CHAIN LINK
 25' Rolls - Sold In Full Rolls Only

Height	Description	300'+	1 - 299'	Selvage	Part #	Weight
4'	1" / 12c / 9f		1	K - K	13-70048	4.0
5'	1" / 12c / 9f		1	K - K	13-70060	4.3
6'	1" / 12c / 9f		1	K - K	13-70072	5.0
7'	1" / 12c / 9f		1	K - K	13-70084	6.7
8'	1" / 12c / 9f		1	K - K	13-70096	8.3
4'	1" 11c / 8f		1	K - K		4.9
5'	1" 11c / 8f		1	K - K		6.2
6'	1" 11c / 8f		1	K - K		7.4
7'	1" 11c / 8f		1	K - K		8.6
8'	1" 11c / 8f		1	K - K		8.9
4'	1 1/4" / 12c / 9f		1	K - K	23-70048	3
5'	1 1/4" / 12c / 9f		1	K - K	23-70060	3.4
6'	1 1/4" / 12c / 9f		1	K - K	23-70072	4.7
7'	1 1/4" / 12c / 9f		1	K - K	23-70084	5.0
8'	1 1/4" / 12c / 9f		1	K - K	23-70096	5.4
4'	1 1/4" / 11c / 8f		1	K - K	25-70048	3.7
5'	1 1/4" / 11c / 8f		1	K - K	25-70060	4.7
6'	1 1/4" / 11c / 8f		1	K - K	25-70072	5.8
7'	1 1/4" / 11c / 8f		1	K - K	25-70084	6.5
8'	1 1/4" / 11c / 8f		1	K - K	25-70096	7.4

1 1/4" Green (23-50) & Brown (23-60)

1" Green(25-50) - Brown (25-60)