

PF-10

Residential, Commercial Post & Rail



FULL LENGTH

Per Lineal Foot

| Size | Full Bndl | Less Bndl | Part Number | Wt. P/Ft. | Wall | Pcs/Bundle |
|------------------|-----------|-----------|-------------|-----------|---------------|------------|
| 1-3/8" x 21' | | | 47-138SE | 0.868 | .065" / 16 ga | 91 |
| 1-5/8" x 21' | | | 47-158SE | 1.107 | .065" / 16 ga | 61 |
| 1-7/8" x 21, 24' | | | | 1.274 | .065" / 16 ga | 61 |
| 2-3/8" x 21, 24' | | | | 1.604 | .065" / 16 ga | 37 |

TOP RAIL

| Size | Full Bndl | Less Bndl | Part Number | Wt. Each | Wall | Pcs/Bundle |
|------------------|-----------|-----------|-------------|----------|---------------|------------|
| 1-3/8" x 10-1/2' | | | 47-1381X | 9.1 | .065" / 16 ga | 91 |
| 1-5/8" x 10-1/2' | | | 47-1581X | 11.6 | .065" / 16 ga | 61 |

1 5/8" Cut Post

| | | | | | | |
|---|--|--|----------|-----|---------------|----|
| 6 | | | 47-15860 | 6.6 | .065" / 16 ga | 61 |
| 7 | | | 47-15870 | 7.7 | .065" / 16 ga | 61 |
| 8 | | | 47-15880 | 8.9 | .065" / 16 ga | 61 |

1 7/8" Cut Post

| | | | | | | |
|---|--|--|----------|------|---------------|----|
| 6 | | | 47-17860 | 7.6 | .065" / 16 ga | 61 |
| 7 | | | 47-17870 | 8.9 | .065" / 16 ga | 61 |
| 8 | | | 47-17880 | 10.2 | .065" / 16 ga | 61 |
| 9 | | | 47-17890 | 11.5 | .065" / 16 ga | 61 |

2 3/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|---------------|----|
| 6 | | | 47-23860 | 9.0 | .065" / 16 ga | 37 |
| 7 | | | 47-23870 | 9.9 | .065" / 16 ga | 37 |
| 8 | | | 47-23880 | 10.8 | .065" / 16 ga | 37 |
| 9 | | | 47-23890 | 12.6 | .065" / 16 ga | 37 |
| 10 | | | 47-23810 | 14.4 | .065" / 16 ga | 37 |
| 10 1/2 | | | 47-2381X | 18.9 | .065" / 16 ga | 37 |

PF-20

Commercial ~ Light Industrial Grade

ASTM F 1043 1C-L

FULL LENGTH Per Lineal Foot

| Size | Full Bndl | Less Bndl | Part Number | Wt P/Ft. | Wall | Pcs/Bundle |
|--------|-----------|-----------|-------------|----------|---------------|------------|
| 1-3/8" | | | 50-138FL | 1.055 | .080" / 14 ga | 91 |
| 1-5/8" | | | 50-158FL | 1.430 | .085" / 13 ga | 61 |
| 1-7/8" | | | 50-178FL | 1.740 | .090" / 13 ga | 61 |
| 2-3/8" | | | 50-238FL | 2.313 | .095" / 13 ga | 37 |
| 2-7/8" | | | 50-278FL | 3.248 | .110" / 11 ga | 19 |

1 7/8" Cut Post

| | | | | | | |
|---|--|--|----------|------|---------------|----|
| 6 | | | 50-17860 | 10.4 | .090" / 13 ga | 61 |
| 7 | | | 50-17870 | 12.2 | .090" / 13 ga | 61 |
| 8 | | | 50-17880 | 13.9 | .090" / 13 ga | 61 |
| 9 | | | 50-17890 | 15.7 | .090" / 13 ga | 61 |

2 3/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|---------------|----|
| 6 | | | 50-23860 | 13.9 | .095" / 13 ga | 37 |
| 7 | | | 50-23870 | 16.2 | .095" / 13 ga | 37 |
| 8 | | | 50-23880 | 18.5 | .095" / 13 ga | 37 |
| 9 | | | 50-23890 | 20.8 | .095" / 13 ga | 37 |
| 10 | | | 50-23810 | 23.1 | .095" / 13 ga | 37 |
| 10 1/2 | | | 50-2381X | 24.3 | .095" / 13 ga | 37 |

2 7/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|---------------|----|
| 8 | | | 50-27880 | 26.0 | .110" / 11 ga | 19 |
| 9 | | | 50-27890 | 29.2 | .110" / 11 ga | 19 |
| 10 | | | 50-27810 | 32.5 | .110" / 11 ga | 19 |
| 10 1/2 | | | 50-2781X | 34.1 | .110" / 11 ga | 19 |

PF-40

Heavy Industrial Grade

ASTM F 1043 Group 1C, AASHTO M 181, Grade 2

FULL LENGTH Per Lineal Foot

| Size | Full Bndl | Less Bndl | Part Number | Wt. P/Ft. | Wall | Pcs/Bundle |
|--------|-----------|-----------|-------------|-----------|---------------|------------|
| 1-5/8" | | | 51-158FL | 1.836 | .116" / 11 ga | 61 |
| 1-7/8" | | | 51-178FL | 2.281 | .128" / 10 ga | 61 |
| 2-3/8" | | | 51-238FL | 3.117 | .136" / 10 ga | 37 |
| 2-7/8" | | | 51-278FL | 4.640 | .149" / 9 ga | 19 |
| 3-1/2" | | | 51-350FL | 4.650 | .160" / 8 ga | 14 |
| 4" | | | 51-400FL | 6.568 | .226" / 5 ga | 12 |

1 7/8" Cut Post

| | | | | | | |
|---|--|--|----------|------|---------------|----|
| 6 | | | 51-17860 | 13.7 | .128" / 10 ga | 61 |
| 7 | | | 51-17870 | 16.0 | .128" / 10 ga | 61 |
| 8 | | | 51-17880 | 18.2 | .128" / 10 ga | 61 |
| 9 | | | 51-17890 | 20.5 | .128" / 10 ga | 61 |

2 3/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|---------------|----|
| 6 | | | 51-23860 | 18.7 | .136" / 10 ga | 37 |
| 7 | | | 51-23870 | 21.8 | .136" / 10 ga | 37 |
| 8 | | | 51-23880 | 24.9 | .136" / 10 ga | 37 |
| 9 | | | 51-23890 | 28.1 | .136" / 10 ga | 37 |
| 10 | | | 51-23810 | 31.2 | .136" / 10 ga | 37 |
| 10 1/2 | | | 51-2381X | 32.7 | .136" / 10 ga | 37 |

2 7/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|--------------|----|
| 8 | | | 51-27880 | 37.1 | .149" / 9 ga | 19 |
| 9 | | | 51-27890 | 41.8 | .149" / 9 ga | 19 |
| 10 | | | 51-27810 | 46.4 | .149" / 9 ga | 19 |
| 10 1/2 | | | 51-2781X | 48.7 | .149" / 9 ga | 19 |
| 11 | | | 51-27811 | 51.0 | .149" / 9 ga | 19 |
| 12 | | | 51-27812 | 55.7 | .149" / 9 ga | 19 |
| 13 | | | 51-27813 | 60.3 | .149" / 9 ga | 19 |

4" Cut Post

| | | | | | | |
|--------|--|--|----------|------|--------------|----|
| 8 | | | 51-40080 | 52.5 | .226" / 5 ga | 19 |
| 9 | | | 51-40090 | 59.1 | .226" / 5 ga | 19 |
| 10 | | | 51-40010 | 65.7 | .226" / 5 ga | 19 |
| 10 1/2 | | | 51-4001X | 69.0 | .226" / 5 ga | 19 |
| 11 | | | 51-40011 | 72.2 | .226" / 5 ga | 19 |
| 12 | | | 51-40012 | 78.8 | .226" / 5 ga | 19 |
| 13 | | | 51-40013 | 85.4 | .226" / 5 ga | 19 |

PF-10 Black Powder Coated Post

Residential, Commercial Post & Rail

Add 15% For Green, Brown, White ~ Lead Time Required

FULL LENGTH Per Lineal Foot

| Size | Full Bndl | Less Bndl | Part Number | Wt. P/Ft. | Wall | Pcs/Bundle |
|------------------|-----------|-----------|-------------|-----------|---------------|------------|
| 1-3/8" x 21' | | | 08-13821 | 0.868 | .065" / 16 ga | 91 |
| 1-5/8" x 21' | | | 08-15821 | 1.107 | .065" / 16 ga | 61 |
| 1-7/8" x 21, 24' | | | | 1.274 | .065" / 16 ga | 61 |
| 2-3/8" x 21, 24' | | | | 1.604 | .065" / 16 ga | 37 |

TOP RAIL

| Size | Full Bndl | Less Bndl | Part Number | Wt. Each | Wall | Pcs/Bundle |
|------------------|-----------|-----------|-------------|----------|---------------|------------|
| 1-3/8" x 10-1/2' | | | 08-1381X | 9.1 | .065" / 16 ga | 91 |
| 1-5/8" x 10-1/2' | | | 08-1581X | 11.6 | .065" / 16 ga | 61 |

1 7/8" Cut Post

| | | | | | | |
|---|--|--|----------|------|---------------|----|
| 6 | | | 08-17860 | 8.4 | .065" / 16 ga | 61 |
| 7 | | | 08-17870 | 9.8 | .065" / 16 ga | 61 |
| 8 | | | 08-17880 | 11.2 | .065" / 16 ga | 61 |

2 3/8" Cut Post

| | | | | | | |
|---|--|--|----------|------|---------------|----|
| 6 | | | 08-23860 | 9.0 | .065" / 16 ga | 37 |
| 7 | | | 08-23870 | 9.9 | .065" / 16 ga | 37 |
| 8 | | | 08-23880 | 10.8 | .065" / 16 ga | 37 |

PF-20 Black Powder Coated Post

Commercial, Light Industrial Grade

Add 15% For Green, Brown, White ~ Lead Time Required

FULL LENGTH

| Size | Full Bndl | Less Bndl | Part Number | Wt. P/Ft. | Wall | Pcs/Bundle |
|--------|-----------|-----------|-------------|-----------|---------------|------------|
| 1-5/8" | | | 09-15821 | 1.430 | .116" / 11 ga | 61 |
| 1-7/8" | | | 09-17824 | 1.740 | .128" / 10 ga | 61 |
| 2-3/8" | | | | 2.313 | .136" / 10 ga | 37 |
| 2-7/8" | | | | 3.248 | .149" / 9 ga | 19 |

1 7/8" Cut Post

| | | | | | | |
|---|--|--|----------|------|---------------|----|
| 6 | | | 09-17860 | 10.4 | .128" / 10 ga | 61 |
| 7 | | | 09-17870 | 12.2 | .128" / 10 ga | 61 |
| 8 | | | 09-17880 | 13.9 | .128" / 10 ga | 61 |
| 9 | | | 09-17890 | 15.7 | .128" / 10 ga | 61 |

2 3/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|---------------|----|
| 6 | | | 09-23860 | 13.9 | .136" / 10 ga | 37 |
| 7 | | | 09-23870 | 16.2 | .136" / 10 ga | 37 |
| 8 | | | 09-23880 | 18.5 | .136" / 10 ga | 37 |
| 9 | | | 09-23890 | 20.8 | .136" / 10 ga | 37 |
| 10 | | | 09-23810 | 23.1 | .136" / 10 ga | 37 |
| 10 1/2 | | | 09-2381X | 24.3 | .136" / 10 ga | 37 |

2 7/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|--------------|----|
| 6 | | | 09-27860 | | .149" / 9 ga | 19 |
| 7 | | | 09-27870 | | .149" / 9 ga | 19 |
| 8 | | | 09-27880 | 34.7 | .149" / 9 ga | 19 |
| 9 | | | 09-27890 | 39.1 | .149" / 9 ga | 19 |
| 10 | | | 09-27810 | 45.6 | .149" / 9 ga | 19 |
| 10 1/2 | | | 09-2781X | 52.1 | .149" / 9 ga | 19 |

PF-40 Black Powder Coated Post

Heavy Industrial Grade

Add 15% For Green, Brown, White ~ Lead Time Required

FULL LENGTH

| Size | Full Bndl | Less Bndl | Part Number | Wt. P/Ft. | Wall | Pcs/Bundle |
|--------|-----------|-----------|-------------|-----------|---------------|------------|
| 1-5/8" | | | 10-15821 | 1.836 | .116" / 11 ga | 61 |
| 1-7/8" | | | 10-17824 | 2.281 | .128" / 10 ga | 61 |
| 2-3/8" | | | 10-23824 | 3.117 | .136" / 10 ga | 37 |
| 2-7/8" | | | 10-27824 | 4.640 | .149" / 9 ga | 19 |
| 4" | | | 10-40024 | 6.568 | .226" / 5 ga | 12 |

1 7/8" Cut Post

| | | | | | | |
|---|--|--|----------|------|---------------|----|
| 6 | | | 10-17860 | 13.7 | .128" / 10 ga | 61 |
| 7 | | | 10-17870 | 16.0 | .128" / 10 ga | 61 |
| 8 | | | 10-17880 | 18.2 | .128" / 10 ga | 61 |
| 9 | | | 10-17890 | 20.5 | .128" / 10 ga | 61 |

2 3/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|---------------|----|
| 6 | | | 10-23860 | 18.7 | .136" / 10 ga | 37 |
| 7 | | | 10-23870 | 21.8 | .136" / 10 ga | 37 |
| 8 | | | 10-23880 | 24.9 | .136" / 10 ga | 37 |
| 9 | | | 10-23890 | 28.1 | .136" / 10 ga | 37 |
| 10 | | | 10-23810 | 31.2 | .136" / 10 ga | 37 |
| 10 1/2 | | | 10-2381X | 32.7 | .136" / 10 ga | 37 |

2 7/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|--------------|----|
| 8 | | | 10-27880 | 37.1 | .149" / 9 ga | 19 |
| 9 | | | 10-27890 | 41.8 | .149" / 9 ga | 19 |
| 10 | | | 10-27810 | 46.4 | .149" / 9 ga | 19 |
| 10 1/2 | | | 10-2781X | 48.7 | .149" / 9 ga | 19 |
| 11 | | | 10-27811 | 51.0 | .149" / 9 ga | 19 |

4" Cut Post

| | | | | | | |
|--------|--|--|----------|------|--------------|----|
| 8 | | | 10-40080 | 52.5 | .226" / 5 ga | 19 |
| 9 | | | 10-40090 | 59.1 | .226" / 5 ga | 19 |
| 10 | | | 10-40010 | 65.7 | .226" / 5 ga | 19 |
| 10 1/2 | | | 10-4001X | 69.0 | .226" / 5 ga | 19 |
| 11 | | | 10-40011 | 72.2 | .226" / 5 ga | 19 |

Structural Weight

Commercial ~ Light Industrial Grade

FULL LENGTH Per Lineal Foot

| Size | Full Bndl | Less Bndl | Part Number | Wt P/Ft. | Wall | Pcs/Bundle |
|--------|-----------|-----------|-------------|----------|-------|------------|
| 1-5/8" | | | 48-158FL | 1.700 | .104" | 61 |
| 1-7/8" | | | 48-178FL | 2.200 | .116" | 61 |
| 2-3/8" | | | 48-238FL | 2.700 | .116" | 37 |
| 2-7/8" | | | 48-278FL | 3.900 | .128" | 19 |

1 7/8" Cut Post

| | | | | | | |
|---|--|--|----------|------|-------|----|
| 6 | | | 48-17860 | 10.2 | .116" | 61 |
| 7 | | | 48-17870 | 11.9 | .116" | 61 |
| 8 | | | 48-17880 | 13.6 | .116" | 61 |
| 9 | | | 48-17890 | 15.3 | .116" | 61 |

2 3/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|-------|----|
| 6 | | | 50-23860 | 16.2 | .116" | 37 |
| 7 | | | 50-23870 | 18.9 | .116" | 37 |
| 8 | | | 50-23880 | 21.6 | .116" | 37 |
| 9 | | | 50-23890 | 24.3 | .116" | 37 |
| 10 | | | 50-23810 | 27.0 | .116" | 37 |
| 10 1/2 | | | 50-2381X | 28.4 | .116" | 37 |

2 7/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|-------|----|
| 8 | | | 50-27880 | 26.0 | .128" | 19 |
| 9 | | | 50-27890 | 29.2 | .128" | 19 |
| 10 | | | 50-27810 | 32.5 | .128" | 19 |
| 10 1/2 | | | 50-2781X | 34.1 | .128" | 19 |

Standard Weight / Schedule 40 - Import
 Heavy Industrial
 ASTM F 1043 Group 1C, AASHTO M 181, Grade 2

FULL LENGTH Per Lineal Foot

| Size | Full Bndl | Less Bndl | Part Number | Wt. P/Ft. | Wall | Pcs/Bundle |
|--------|-----------|-----------|-------------|-----------|-------|------------|
| 1-5/8" | | | 49-158FL | 2.27 | .140" | 42 |
| 1-7/8" | | | 49-178FL | 2.72 | .145" | 36 |
| 2-3/8" | | | 49-238FL | 3.65 | .154" | 26 |
| 2-7/8" | | | 49-27824 | 5.79 | .203" | 18 |
| 3-1/2" | | | 49-35024 | 7.60 | .216" | 14 |
| 4" | | | 49-40024 | 9.10 | .226" | 12 |
| 6 5/8" | | | 49-65824 | 18.80 | .280" | 7 |
| 8 5/8" | | | 49-65824 | 28.60 | .322" | 7 |

1 7/8" Cut Post

| | | | | | | |
|---|--|--|----------|------|-------|----|
| 6 | | | 49-17860 | 16.3 | .145" | 61 |
| 7 | | | 49-17870 | 19.0 | .145" | 61 |
| 8 | | | 49-17880 | 21.8 | .145" | 61 |
| 9 | | | 49-17890 | 24.5 | .145" | 61 |

2 3/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|-------|----|
| 6 | | | 49-23860 | 21.9 | .154" | 26 |
| 7 | | | 49-23870 | 25.6 | .154" | 26 |
| 8 | | | 49-23880 | 29.2 | .154" | 26 |
| 9 | | | 49-23890 | 32.9 | .154" | 26 |
| 10 | | | 49-23810 | 36.5 | .154" | 26 |
| 10 1/2 | | | 49-2381X | 38.3 | .154" | 26 |
| 11 | | | 49-23811 | 40.2 | .154" | 26 |
| 12 | | | 49-23812 | 43.8 | .154" | 26 |
| 15 | | | 49-23815 | 54.8 | .154" | 26 |

2 7/8" Cut Post

| | | | | | | |
|--------|--|--|----------|------|-------|----|
| 9 | | | 49-27890 | 52.1 | .203" | 18 |
| 10 | | | 49-27810 | 57.9 | .203" | 18 |
| 10 1/2 | | | 49-2781X | 60.8 | .203" | 18 |
| 11 | | | 49-27811 | 63.7 | .203" | 18 |
| 12 | | | 49-27812 | 69.5 | .203" | 18 |
| 13 | | | 49-27813 | 75.3 | .203" | 18 |
| 15 | | | 49-27815 | 86.9 | .203" | 18 |

Standard Weight / Schedule 40 - Import (Continued)

Heavy Industrial

ASTM F 1043 Group 1C, AASHTO M 181, Grade 2

| 3 1/2" Cut Post | Full Bndl | Less Bndl | | | |
|------------------------|-----------|-----------|----------|-------|----------|
| 9 | | | 49-35090 | 68.4 | .216" 14 |
| 10 1/2 | | | 49-3501X | 79.8 | .216" 14 |
| 12 | | | 49-35012 | 91.2 | .216" 14 |
| 13 | | | 49-35013 | 98.8 | .216" 14 |
| 15 | | | 49-35015 | 114.0 | .216" 14 |
| 4" Cut Post | | | | | |
| 9 | | | 49-40090 | 81.9 | .226" 19 |
| 10 1/2 | | | 49-4001X | 95.6 | .226" 19 |
| 12 | | | 49-40012 | 109.2 | .226" 19 |
| 13 | | | 49-40013 | 118.3 | .226" 19 |
| 15 | | | 49-40015 | 136.5 | .226" 19 |
| 6 5/8" Cut Post | | | | | |
| 9 | | | 49-65890 | 169.2 | .280" 7 |
| 10 1/2 | | | 49-6581X | 197.4 | .280" 7 |
| 12 | | | 49-65812 | 225.6 | .280" 7 |
| 15 | | | 49-65815 | 282 | .280" 7 |

Schedule 40 1.8 Oz. Zinc Coating - Domestic

ASTM F 1083, AASHTO M 181 Type 1, Grade 1

FULL LENGTH Per Lineal Foot

| Size | Full Bndl | Less Bndl | Part Number | Wt. P/Ft. | Wall | Pcs/Bundle |
|--------|-----------|-----------|-------------|-----------|-------|------------|
| 1-5/8" | | | 52-158FL | 2.27 | .140" | 42 |
| 1-7/8" | | | 52-178FL | 2.72 | .145" | 36 |
| 2-3/8" | | | 52-238FL | 3.65 | .154" | 26 |
| 2-7/8" | | | 52-278FL | 5.79 | .203" | 18 |
| 4" | | | 52-400FL | 9.1 | .226" | 12 |
| 6-5/8" | | | 52-658FL | 18.9 | .280" | 7 |

1 7/8" Cut Post

| | | | | | |
|---|--|----------|----|-------|----|
| 6 | | 52-17860 | 16 | .145" | 36 |
| 7 | | 52-17870 | 19 | .145" | 36 |
| 8 | | 52-17880 | 22 | .145" | 36 |
| 9 | | 52-17890 | 24 | .145" | 36 |

2 3/8" Cut Post

| | | | | | |
|--------|--|----------|----|-------|----|
| 9 | | 52-23890 | 33 | .154" | 26 |
| 10 | | 52-23810 | 37 | .154" | 26 |
| 10 1/2 | | 52-2381X | 38 | .154" | 26 |
| 11 | | 52-23811 | 40 | .154" | 26 |
| 12 | | 52-23813 | 44 | .154" | 26 |
| 15 | | 52-23815 | 55 | .154" | 26 |

2 7/8" Cut Post

| | | | | | |
|--------|--|----------|--------|-------|----|
| 9 | | 52-27890 | 52 lbs | .203" | 18 |
| 10 | | 52-27810 | 58 lbs | .203" | 18 |
| 10 1/2 | | 52-2781X | 61 lbs | .203" | 18 |
| 11 | | 52-27811 | 64 lbs | .203" | 18 |
| 12 | | 52-27811 | 69 lbs | .203" | 18 |
| 13 | | 52-27813 | 75 lbs | .203" | 18 |
| 15 | | 52-27815 | 87 lbs | .203" | 18 |

4" Cut Post

| | | | | | |
|--------|--|----------|---------|-------|----|
| 9 | | 52-40090 | 82 lbs | .226" | 12 |
| 10 | | 52-40010 | 91 lbs | .226" | 12 |
| 10 1/2 | | 52-4001X | 96 lbs | .226" | 12 |
| 11 | | 52-40011 | 100 lbs | .226" | 12 |
| 12 | | 52-40012 | 109 lbs | .226" | 12 |
| 13 | | 52-40013 | 118 lbs | .226" | 12 |

Square Tube

SOLD IN FULL LENGTHS ONLY

| Size | Full Bndl | Less Bndl | Part Number | Wt P/Ft. | Wall | Pcs/Bundle |
|---------------------|-----------|-----------|-------------|----------|--------------|------------|
| 3/4" | | | 16-34024 | 0.6 | .060"/ 16 ga | 100 |
| 1" | | | 16-10024 | 0.8 | .060"/ 16 ga | 100 |
| 1 1/2" | | | 16-11224 | 1.2 | .060"/ 16 ga | 100 |
| 2" | | | 16-20024 | 1.6 | .060"/ 16 ga | 50 |
| 2 1/2" | | | 16-21224 | 2.8 | .060"/ 16 ga | 50 |
| 3" | | | 16-30020 | 3.3 | .060"/ 16 ga | 25 |
| 4" | | | 16-40024 | 6.3 | .060"/ 16 ga | 16 |
| 2" x 4" | | | 16-2X424 | 3.3 | .060"/ 16 ga | 20 |
| 2" Black | | | | 1.6 | .060"/ 16 ga | 50 |
| 2 1/2" Black | | | | 2.8 | .060"/ 16 ga | 50 |
| 3" Black | | | | 3.3 | .060"/ 16 ga | 25 |
| 4" Black | | | | 6.3 | .060"/ 16 ga | 16 |



Lifetime Steel Posts

G 90 Hot Dipped Galvanized with Clear Coat Protection

Class 3 AAMA 2605 - Qualicoat Certified

| Size | Each | Part Number | Wt Each | Wall | Pcs/Bundle |
|------------------|------|-------------|---------|-------|------------|
| 7' 6" | | 15-LPG76 | 19 | 11 ga | 25 |
| 8' | | 15-LPG80 | 20 | 11 ga | 25 |
| 9' | | 15-LPG90 | 23 | 11 ga | 25 |
| 12' | | 15-LPG12 | 30 | 11 ga | 25 |
| 8' Black | | 15-LPB80 | 20 | 11 ga | 25 |
| 9' Black | | 15-LPB90 | 23 | 11 ga | 25 |
| 12' Black | | 15-LPB12 | 30 | 11 ga | 25 |



C-Posts

Standard: 1.875" x 1.625"

ASTM F1043 Group II

| Size | Full Bndl | Less Bndl | Part Number | Wt Each | Wall | Pcs/Bundle |
|-------------|-----------|-----------|-------------|---------|-------|------------|
| 6'8" | | | 15-CS068 | 16.0 | .121" | 50 |
| 7'8" | | | 15-CS078 | 18.4 | .121" | 50 |
| 8'8" | | | 15-CS088 | 20.3 | .121" | 50 |